

Major Features of VWD Windows



Vinyl Window Designs Ltd.

Windows For Life™

***Feature for Feature,
Benefit for Benefit,
you get more with***

Vinyl Window Designs Ltd.

Ultra Style 800M/800TS Casement Series

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss. Ultra Windows are extruded with a superior 4 ½” frame depth for extra rigidity, strength and thermal properties. They are also easier to install as part of rip-out renovations.
2. **Casements are Aluminum Reinforced** – All hardware screws thread into a heavy gauge aluminum channel.
3. **Triple Seal Weatherstrip** – The outer high pile looks great as it eliminates dust penetration while allowing water to weep out. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier.
4. **Truth Ultra Casement Operator, Maxim Hinge and Multipoint Lock** – The handle folds flush into a cavity in the hardware’s base. Opens to 90 degrees for extra access space to easily clean the outside glass from inside your home. (Widths 12” to 14” open 70°.) The hardware is completely sealed in the bottom to prevent air and water infiltration. Truth’s proprietary “E Guard” multi-stage coating process is resistant to corrosion and handles great weight with ease. **All hardware is manufactured and warranted for life by Truth!**
5. **Triple Bond Glazing System** – A flexible neoprene dual durometer hugs the glass (marine glazing technique). An exterior wet glazing tape and an interior silicone full perimeter bead (double glazed windows only) provide a great seal!
6. **Metal Reinforced** – Built to last. The window’s structure is reinforced at the operator, keeper and along the sash stile.
7. **7/8” O.T. Dual Pane is standard** – Use Krypton gas fill in a 7/8” O.T. Triple Pane or use Argon gas fill in our 1 3/8” O.T. Triple Pane. Both allow for a greater than R8 center-of-glass insulation value!
8. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
9. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.

ULtra Style 800M/800TS Casement Series

10. **Choose E-Clean Glass** – This combines our Solar Shield Glass with our solar activated glass with self cleaning properties. Your glass will resist dirt accumulation!
11. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
12. **The best Warm Edge Spacers for your requirements** – PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
13. **Concealed Low Friction Truth Hinges** – Hidden hardware! It looks great, can handle the weight of larger sashes and allows for cleaning the outside of the glass from inside your home!
14. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
15. **Roll Away and TouchScreen™ standard** – Our patent pending magnetic screen is standard in our 800TS version. Our roll away screen is sealed on four sides in our 800M version!
16. **Rust Resistant Fasteners and Hinges** – Stainless steel screws and rust resistant hinges are designed for a lifetime of use.
17. **Polystyrene Foam in Bay/Bow Posts** – VWD’s unique pre-cut Polystyrene foam post inserts prevents cold air traveling to the interior of the post and adds structure to the composite window.
18. **Multipoint Truth Locking System** – Allows easy locking at multiple lock-points from a single handle at the base of the window.
19. **A Variety of Designer Colours** – Available in neutral white. Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours.
20. **CSA, NFRC and WindowWise Certified** – Your VWD casement window has been tested to perform! Your windows are approved for Window Wise installations!
21. **Energy Star Qualified** – See required options list.
22. **Lifetime Warranty** – Ask for details on our great Lifetime Warranty on vinyl, hardware and on your window’s glass seal!

Premium Style 100M Casement

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Casements are Aluminum Reinforced** – All hardware screws thread into a heavy gauge aluminum channel.
3. **Triple Seal Weatherstrip** – The outer high pile looks great as it eliminates dust penetration while allowing water to weep out. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier.
4. **Truth Ultra Casement Operator, Hinge and Multipoint Lock** – The handle folds flush into a cavity in the hardware's base. Opens to 90 degrees for extra access space to easily clean the outside glass from inside your home. (Widths 12" to 14" open 70°.) The hardware is completely sealed in the bottom to prevent air and water infiltration. Truth's proprietary "E Guard" multi-stage coating process is resistant to corrosion and handles great weight with ease. Optional Contour Operator. **All hardware is manufactured and warranted for life by Truth! Optional Truth Ultra hardware upgrade is available.**
5. **Triple Bond Glazing System** – A flexible neoprene dual durometer hugs the glass (marine glazing technique). An exterior wet glazing tape and an interior silicone full perimeter bead (double glazed windows only) provide a great seal!
6. **Metal Reinforced** – Built to last. The windows structure is reinforced at the operator, keeper and along the sash stile.
7. **7/8 O.T. Dual Pane is standard** – Use Krypton gas fill in a 7/8" O.T. Triple Pane or use Argon gas fill in our 1 3/8" O.T. Triple Pane. Both allow for a greater than R8 center-of-glass insulation value!
8. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
9. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high 'R' insulation value and low UV transmission.

Premium Style 100M Casement

10. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
11. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
12. **Concealed Low Friction Truth Hinges** – Hidden hardware! It looks great, can handle the weight of larger sashes and allows for cleaning the outside of the glass from inside your home!
13. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
14. **TouchScreen™ standard** – TouchScreen™ is our patent pending, revolutionary, magnetic screen with no springs, pins or clips required.
15. **Rust Resistant Fasteners and Hinges** – Stainless steel screws and rust resistant hinges are designed for a lifetime of use.
16. **Polystyrene Foam in Bay/Bow Posts** – VWD’s unique pre-cut Polystyrene foam post inserts prevents cold air traveling to the interior of the post and adds structure to the composite window.
17. **Truth Multipoint Locking System** – Allows easy locking at multiple lock-points from a single handle at the base of the window.
18. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Pebble, Terra and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
19. **CSA, AAMA, NFRC and Window Wise Certified** – Your VWD casement window has been tested to perform! Your windows are approved for Window Wise installations!
20. **Energy Star Qualified** – See required options list.
21. **Lifetime Warranty** – Ask for details on VWD’s great Lifetime Warranty on vinyl and hardware and on your glass seal!

Plus Style 100MR Casement

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Casements are Aluminum Reinforced** – All hardware screws thread into a heavy gauge aluminum channel.
3. **Triple Seal Weatherstrip** – The outer high pile looks great as it eliminates dust penetration while allowing water to weep out. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier.
4. **Truth Maxim Casement Operator** – Standard folding handle. Opens to 90 degrees for extra access space to easily clean the outside glass from inside your home. (Widths 12” to 14” open 70°.) The hardware is completely sealed in the bottom to prevent air and water infiltration. Operator features Truth’s proprietary “E Guard” multi-stage coating process is resistant to corrosion and handles great weight with ease. Multipoint Lock and heavy duty hinge.
5. **Dry Glazing System** – A flexible neoprene dual durometer hugs the glass. An exterior wet glazing tape provide a great seal!
6. **Metal Reinforced** – Built to last. The windows structure is reinforced at the operator, keeper and along the sash stile.
7. **7/8” O.T. Dual Pane is standard**
8. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
9. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.

Plus Style 100MR Casement

10. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
11. **The best Warm Edge Spacers for your requirements** – PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
12. **Concealed Low Friction Hinges** – Hidden hardware! It looks great, can handle the weight of larger sashes and allows for cleaning the outside of the glass from inside your home!
13. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
14. **Rollform Screen standard** – Our hidden spring loaded screen allows for easy removal.
15. **Rust Resistant Fasteners and Hinges** – Stainless steel screws and rust resistant hinges are designed for a lifetime of use.
16. **Polystyrene Foam in Bay/Bow Posts** – VWD’s unique pre-cut Polystyrene foam post inserts prevents cold air traveling to the interior of the post and adds structure to the composite window.
17. **Multipoint Locking System** – Allows easy locking at multiple lock-points from a single handle at the base of the window.
18. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Pebble, Terra and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
19. **CSA, AAMA, NFRC and WindowWise Certified** – Your VWD casement window has been tested to perform! Your windows are approved for Window Wise installations!
20. **Energy Star Qualified** – See required options list.
21. **Lifetime Warranty** – Ask for details on VWD’s great Lifetime Warranty on vinyl and hardware and on your glass seal!

ULtra Style 850M/850TS Awning Series

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss. Ultra Windows are extruded with a superior 4 ½” frame depth for extra rigidity, strength and thermal properties. They are also easier to install as part of rip-out renovations.
2. **Awnings are Aluminum Reinforced** – All hardware screws thread into a heavy gauge aluminum channel.
3. **Triple Seal Weatherstrip** – The outer high pile looks great as it eliminates dust penetration while allowing water to weep out. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier.
4. **Truth Ultra Awning Operator, Maxim Hinge and Multipoint Lock** – The handle folds flush into a cavity in the hardware’s base. The hardware is completely sealed in the bottom to prevent air and water infiltration. Truth’s proprietary “E Guard” multi-stage coating process is resistant to corrosion and handles great weight with ease. **All hardware is manufactured and warranted for life by Truth!**
5. **Triple Bond Glazing System** – A flexible neoprene dual durometer hugs the glass (marine glazing technique). An exterior wet glazing tape and an interior silicone full perimeter bead (double glazed windows only) provide a great seal!
6. **Metal Reinforced** – Built to last. The window’s structure is reinforced at the operator, keeper and along the sash stile.
7. **7/8” O.T. Dual Pane is standard** – Use Krypton gas fill in a 7/8” O.T. Triple Pane or use Argon gas fill in our 1 3/8” O.T. Triple Pane. Both allow for a greater than R8 center-of-glass insulation value!
8. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
9. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.

ULtra Style 850M/850TS Awning Series

10. **Choose E-Clean Glass** – This combines our Solar Shield Glass with our solar activated glass with self cleaning properties. Your glass will resist dirt accumulation!
11. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
12. **The best Warm Edge Spacers for your requirements** – PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
13. **Concealed Low Friction Truth Hinges** – Hidden hardware! It looks great, can handle the weight of larger sashes and allows for cleaning the outside of the glass from inside your home!
14. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
15. **Roll Away and TouchScreen™ standard** – Our patent pending magnetic screen is standard in our 850TS version. Our roll away screen is sealed on four sides in our 850M version!
16. **Rust Resistant Fasteners and Hinges** – Stainless steel screws and rust resistant hinges are designed for a lifetime of use.
17. **Multipoint Style Truth Locking System** – Matches the look of the Ultra Casement locking handle.
18. **A Variety of Designer Colours** – Available in neutral white. Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours.
19. **CSA, NFRC and WindowWise Certified** – Your VWD awning window has been tested to perform! Your windows are approved for Window Wise installations!
20. **Energy Star Qualified** – See required options list.
21. **Lifetime Warranty** – Ask for details on our great Lifetime Warranty on vinyl, hardware and on your window’s glass seal!

Premium Style 150M Awning

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Awnings are Aluminum Reinforced** – All hardware screws thread into a heavy gauge aluminum channel.
3. **Triple Seal Weatherstrip** – The outer high pile looks great as it eliminates dust penetration while allowing water to weep out. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier.
4. **Truth Ultra Awning Hardware** – The handle folds flush into a cavity in the hardware's base. Easy to detach scissor operator opens to easily clean the outside glass from inside your home. The hardware is completely sealed in the bottom to prevent air and water infiltration. Truth's proprietary "E Guard" multi-stage coating process is resistant to corrosion and handles great weight with ease. Contour Hardware Optional.
5. **Triple Bond Glazing System** – A flexible neoprene dual durometer hugs the glass (marine glazing technique). An exterior wet glazing tape and an interior silicone full perimeter bead (double glazed windows only) provide a great seal!
6. **Metal Reinforced** – Built to last. The window's structure is reinforced at the operator, keeper and along the sash stile.
7. **7/8 O.T. Dual Pane is standard – 1 3/8" O.T. Triple Pane available** – Use Krypton gas fill in a 7/8" O.T. Triple Pane or use Argon gas fill in our 1 3/8" O.T. Triple Pane. Both allow for a greater than R8 center-of-glass insulation value!
8. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
9. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high 'R' insulation value and low UV transmission.

Premium Style 150M Awning

10. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
11. **The best Warm Edge Spacers for your requirements** – PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
12. **Concealed Low Friction Truth Hinges** – Hidden hardware! It looks great, can handle the weight of larger sashes and allows for cleaning the outside of the glass from inside your home!
13. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
14. **Extruded Screen standard** – Our pressure fit screen is extruded, not rolled. Its spring loaded action makes it easy to remove and install. Optional TouchScreen™.
15. **Rust Resistant Fasteners and Hinges** – Stainless steel screws and rust resistant hinges are designed for a lifetime of use.
16. **Multipoint Locking System Styling** – Our 150M Series offers a handle to match the Multi-lock system in our Casements.
17. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
18. **CSA, AAMA, NFRC and WindowWise Certified** – Your VWD awning window has been tested to perform! Your windows are approved for Window Wise installations!
19. **Energy Star Qualified** – See required options list.
20. **Lifetime Warranty** – Ask for details on VWD’s great Lifetime Warranty on vinyl and hardware and on your glass seal!

Plus Style 150MR Awning

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Awnings are Aluminum Reinforced** – All hardware screws thread into a heavy gauge aluminum channel.
3. **Triple Seal Weatherstrip** – The outer high pile looks great as it eliminates dust penetration while allowing water to weep out. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier.
4. **Truth Maxim Awning Operator** – Standard folding handle. Easy to detach scissor operator opens to easily clean the outside glass from inside your home. The hardware is completely sealed in the bottom to prevent air and water infiltration. Truth's proprietary "E Guard" multi-stage coating process is resistant to corrosion and handles great weight with ease. Hinge and Side Locking system.
5. **Dry Glazing System** – A flexible neoprene dual durometer hugs the glass. An exterior wet glazing tape provides a great seal!
6. **Metal Reinforced** – Built to last. The window's structure is reinforced at the operator, keeper and along the sash stile.
7. **7/8" O.T. Dual Pane is standard**
8. **Choose Energy Advantage Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
9. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
10. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high 'R' insulation value and low UV transmission.

Plus Style 150MR Awning

11. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
12. **Concealed Low Friction Hinges** – Hidden hardware! It looks great, can handle the weight of larger sashes and allows for cleaning the outside of the glass from inside your home!
13. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
14. **Rollform Screen standard** – Hidden spring loaded for easy removal.
15. **Rust Resistant Fasteners and Hinges** – Stainless steel screws and rust resistant hinges are designed for a lifetime of use.
16. **Locking System** – Designer lock handles on both jambs to match the Multi-lock system in our Casements.
17. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
18. **CSA, AAMA, NFRC and WindowWise Certified** – Your VWD awning window has been tested to perform! Your windows are approved for Window Wise installations!
19. **Energy Star Qualified** – See required options list.
20. **Lifetime Warranty** – Ask for details on VWD’s great Lifetime Warranty on vinyl and hardware and on your glass seal!

Premium Style 201 Single Hung

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Pocket Sill Design** – Built in water removal system directs water out of the window to resist water penetration.
3. **Extruded Dual Flexible Sill Seals** – Combine with the pocket sill to create an excellent seal!
4. **Weather Resistant Glazing System** – A flexible neoprene dual durometer hugs the glass (marine glazing technique). An exterior glazing tape with caulked corners provides a great seal!
5. **7/8” O.T. Dual Pane is standard with Double Strength Glass** – Double strength glass is 50% thicker than single strength glass. 7/8” allows a triple pane/krypton filled option for maximum insulation values!
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
8. **The best Warm Edge Spacers for your requirements** – PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
9. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
10. **Heavy Duty Locks** – Metal cam locks close your windows tight!
11. **Triple Weathersealed** – Pile seals utilize a poly film to create a strong barrier to air infiltration between the frame and operating components. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier at the sill.
12. **Low Profile Tilt Latches** – Tilt Latches are assembled into the sash profile to provide clean sight lines and strength.

Premium Style 201 Single Hung

13. **Adjustable Spiral Balances** – Spiral balances provide reliable effortless sash movement.
14. **Reinforcement** – Cam Lock screws thread through metal rather than hollow vinyl. Reinforcement is also added as required in oversized windows.
15. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
16. **Secure Screens** – Our screen has an overlap lip. Screens allow for a clean site line through one glass panel and are spring loaded for easy removal.
17. **Top, Bottom and Side Sash Covers** – Channels are covered so that screws and other components are not visible. They minimize dust build up inside pocketed channels and are easy to clean!
18. **Integral Lift Bar** – A strong, extruded Pull Rail is part of the sash! This eliminates the possibility of the Pull rail disengaging from the sash!
19. **Exterior Glass Stops** – This technique makes windows more esthetically pleasing. It is very elegant to the eye and allows more glass area in the window
20. **Instalock Shoes** – The tilt mechanism immediately engages the sash lock as soon as the sash begins to tilt (1/2” from the frame!) This gives additional strength and stability to the sash and window during cleaning.
21. **Tilt Action** – The operating sash tilts in for easy cleaning.
22. **Night Locks** – Surface mounted night locks are optional. They allow you to set the window for limited, controlled ventilation and limit access from the outside of your home.

Premium Style 201 Single Hung

23. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
24. **CSA, NFRC and WindowWise Certified** – Your VWD Single Hung window has been tested to perform! Your windows are approved for Window Wise installations!
25. **Energy Star Qualified** – See required options list.
26. **Optional Extruded J Fin** – Neat and clean for new construction.
27. **Lifetime Warranty** – Ask for details on VWD's great Lifetime Warranty on vinyl and hardware and on your glass seal!

Premium Style 210C Double Hung

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Full Sloped Sill Design** – Our compound Mitre cut means no drain holes are required. The engineers choice to eliminate air and water penetration.
3. **Extruded Flexible Sill Seal** – Combines with the sloped sill to create an excellent seal!
4. **Weather Resistant Glazing System** – A flexible neoprene dual durometer hugs the glass (marine glazing technique). An exterior glazing tape with caulked corners provides a great seal!
5. **7/8” O.T. Dual Pane is standard with Double Strength Glass** – Double strength glass is 50% thicker than single strength glass. 7/8” allows a triple pane/krypton filled option for maximum insulation values!
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
8. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
9. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
10. **Heavy Duty Locks** – Metal cam locks close your windows tight!
11. **Triple Weather sealed** – Pile seals utilize a poly film to create a strong barrier to air infiltration between the frame and operating components. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier at the sill.
12. **Low Profile Tilt Latches** – Tilt Latches are assembled into the sash profile to provide clean sight lines and strength.

Premium Style 210 Double Hung

13. **Adjustable Spiral Balances** – Spiral balances provide reliable effortless sash movement.
14. **Reinforcement** – Cam Lock screws thread through metal rather than hollow vinyl. Reinforcement is also added as required in oversized windows.
15. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
16. **Secure Screens** – Our full screen has an overlap lip. Spring loaded pins allow for easy removal. Half screens (not available in painted windows) allow for a clean site line through one glass panel and are spring loaded for easy removal.
17. **Top, Bottom and Side Sash Covers** – Channels are covered so that screws and other components are not visible. They minimize dust build up inside pocketed channels and are easy to clean!
18. **Integral Lift Bar** – A strong, extruded Pull Rail is part of the sash! This eliminates the possibility of the Pull rail disengaging from the sash!
19. **Exterior Glass Stops** – This technique makes windows more esthetically pleasing. It is very elegant to the eye and allows more glass area in the window
20. **Instalock Shoes** – The tilt mechanism immediately engages the sash lock as soon as the sash begins to tilt (1/2” from the frame!) This gives additional strength and stability to the sash and window during cleaning.
21. **Tilt Action** – The sashes tilt in for easy cleaning.
22. **Night Locks** – Dual night locks allow you to set the window for limited, controlled ventilation and limit access from the outside of your home.

Premium Style 210 Double Hung

23. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
24. **CSA, AAMA, NFRC and Window Wise Certified** – Your VWD Double Hung window has been tested to perform! Your windows are approved for Window Wise installations!
25. **Energy Star Qualified** – See required options list.
26. **Lifetime Warranty** – Ask for details on VWD's great Lifetime Warranty on vinyl and hardware and on your glass seal!

Plus Style 240 Double Hung

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Full Sloped Sill Design** – The engineers choice to eliminate air and water penetration.
3. **Extruded Flexible Sill Seal** – Combines with the sloped sill to create an excellent seal!
4. **No Drain holes/covers** – Drain holes are a source of air leakage and are not required with the extruded over-the-sill frame system!
5. **3/4 O.T. Dual Pane is standard with Double Strength Glass** – Double strength glass is 50% thicker than single strength glass.
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high 'R' insulation value and low UV transmission.
8. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
9. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
10. **Heavy Duty Locks** – Metal cam locks close your windows tight!
11. **Double Weather sealed** – Pile seals utilize a poly film to create a strong barrier to air infiltration between the frame and operating components.
12. **Closed Cell Foam Glazing System** – A closed cell foam tape that prevents moisture penetration is applied to the glazing cavity. Sealant is applied to open corners of the tape to create an unbroken seal against the glass unit.
13. **Reliable Coil Balances** – Smooth, effortless operation is assured.

Plus Style 240 Double Hung

14. **Low Profile Tilt Latches** – Tilt Latches are assembled into the sash profile to provide clean sight lines and strength.
15. **Reinforcement** – Cam Lock screws in larger windows thread through metal rather than hollow vinyl. Reinforcement is also added as required in oversized windows.
16. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
17. **Secure Screens** – Our full screen has an overlap lip. Spring loaded pins allow for easy removal. Half screens (not available in painted windows) allow for a clean site line through one glass panel and are spring loaded for easy removal.
18. **Top, Bottom and Side Sash Covers** – Channels are covered so that screws and other components are not visible. They minimize dust build up inside pocketed channels and are easy to clean!
19. **Integral Lift Bar** – A strong, extruded Pull Rail is part of the sash! This eliminates the possibility of the Pull rail disengaging from the sash!
20. **Exterior Glass Stops** – This technique makes windows more esthetically pleasing. It is very elegant to the eye and allows more glass area in the window
21. **Instalock Shoes** – The tilt mechanism immediately engages the sash lock as soon as the sash begins to tilt (1/2” from the frame!) This gives additional strength and stability to the sash and window during cleaning.
22. **Tilt Action** – The sashes tilt in for easy cleaning.
23. **Night Locks** – Dual night locks allow you to set the window for limited, controlled ventilation and limit access from the outside of your home.

Plus Style 240 Double Hung

24. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours.
25. **CSA tested, AAMA, NFRC and WindowWise Certified** – Your VWD Double Hung window has been tested to perform! Your windows are approved for Window Wise installations!
26. **Energy Star Qualified** – See required options list.
27. **Optional Extruded J Fin** – Neat and clean for new construction.
28. **Lifetime Warranty** – Ask for details on VWD's great Lifetime Warranty on vinyl and hardware and on your glass seal!

Plus Style 275 Single Hung

1. **Multi-chambered, fusion-welded 2 ¾” frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Pocket Sill Design** – Built in water removal system directs water out of the window to resist water penetration.
3. **Fin Seal on frame at the sill** – Combines with the pocket sill to create an excellent seal!
4. **Weather Resistant Glazing System** – An exterior glazing tape with caulked corners provides a great seal!
5. **¾” O.T. Dual Pane is standard with Double Strength Glass** – Double strength glass is 50% thicker than single strength glass.
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
8. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
9. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
10. **Heavy Duty Locks** – Metal cam locks close your windows tight!
11. **Double Weather sealed** – Pile seals utilize a poly film to create a strong barrier to air infiltration between the frame and operating components.
12. **Low Profile Tilt Latches** – Tilt Latches are assembled into the sash profile to provide clean sight lines and strength.

Plus Style 275 Single Hung

13. **Adjustable Spiral Balances** – Spiral balances provide reliable effortless sash movement.
14. **Reinforcement** – Reinforcement is added as required in oversized windows.
15. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
16. **Secure Screens** – Screens allow for a clean site line through one glass panel and are spring loaded for easy removal.
17. **Integral Lift Bar** – A strong, extruded Pull Rail is part of the sash! This eliminates the possibility of the Pull rail disengaging from the sash!
18. **Attractive balance covers.**
19. **Exterior Glass Stops** – This technique makes windows more esthetically pleasing. It is very elegant to the eye and allows more glass area in the window
20. **A Variety of Designer Colours** – Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown and in custom colours.
21. **Instalock Shoes** – The tilt mechanism immediately engages the sash lock as soon as the sash begins to tilt (1/2” from the frame!) This gives additional strength and stability to the sash and window during cleaning.
22. **Tilt Action** – The operating sash tilts in for easy cleaning.
23. **Available in the most popular white #143.**
24. **CSA tested** – Your VWD Single Hung window has been tested to perform! Your windows are approved for Window Wise installations!
25. **Energy Star Qualified** – See required options list.
26. **Lifetime Warranty** – Ask for details on VWD’s great Lifetime Warranty on vinyl and hardware and on your glass seal!

Premium Style 300FH Tilt Slider

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Submerged Drain holes covers** – Designed to keep bugs out while allowing water to flow outside. Our two tier system provides separate drainage for the part of the window that is inside your home's building envelope from the exterior portion!
3. **Extruded Neoprene Seals** – A pair of compression style, heavy duty neoprene seals allow the sash to shut tight. Neoprene is the same type of long term, durable material used to seal car doors!
4. **Weather Resistant Glazing System** – A flexible neoprene dual Durometer hugs the glass (Marine Glazing technique). An exterior glazing tape with caulked corners provides a great seal!
5. **7/8" O.T. Dual Pane is standard with Double Strength Glass** – Double strength glass is 50% thicker than single strength glass. 7/8" allows a triple pane/krypton filling for maximum insulation values!
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high 'R' insulation value and low UV transmission.
8. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
9. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
10. **Heavy Duty Locks** – Metal cam locks close your windows tight!

Premium Style 300FH Tilt Slider

11. **Triple Weather sealed** – Pile seals utilize a poly film to create a strong barrier to air infiltration between the frame and operating components. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier at the sill.
12. **Low Profile Tilt Latches** – Tilt Latches are assembled into the sash profile to provide clean sight lines and strength.
13. **Instalock Shoes** – The tilt mechanism immediately engages the sash lock as soon as the sash begins to tilt (1/2” from the frame!) This gives additional strength and stability to the sash and window during cleaning.
14. **Reinforcement** – Cam Lock screws thread through metal rather than hollow vinyl. Reinforcement is also added as required in oversized windows.
15. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
16. **Secure Screens** – Our full screen has an overlap lip. Spring loaded pins allow for easy removal. Half screens (not available in painted windows) allow for a clean site line through one glass panel and are spring loaded for easy removal.
17. **Top, Bottom and Side Sash Covers** – Channels are covered so that screws and other components are not visible. They minimize dust build up inside pocketed channels and are easy to clean!
18. **Integral Lift Bar** - part of the sash! This eliminates the possibility of the Pull rail disengaging from the sash!
19. **Exterior Glass Stops** – This technique makes windows more esthetically pleasing. It is very elegant to the eye and allows more glass area in the window

Premium Style 300FH Tilt Slider

20. **Tilt Action** – The sashes tilt in for easy cleaning.
21. **Night Locks** – Dual night locks allow you to set the window for limited, controlled ventilation and limit access from the outside of your home.
22. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
23. **CSA, AAMA and WindowWise Certified** – Your VWD Tilt Sliding window has been tested to perform! Your windows are approved for Window Wise installations!
24. **Energy Star Qualified** – See required options list.
25. **Lifetime Warranty** – Ask for details on VWD's great Lifetime Warranty on vinyl and hardware and on your glass seal!

Premium Style 301 Single Tilt Slider

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Pocket Jamb Design** – The operating sash closes tightly into a frame compartment.
3. **Drainage System** – Built in water removal system directs water out of the window to resist water penetration.
4. **Extruded Dual Flexible Jamb Seals** – Combine with the Jamb pocket to create an excellent seal!
5. **Weather Resistant Glazing System** – A flexible neoprene dual Durometer hugs the glass (Marine Glazing technique). An exterior glazing tape with caulked corners provides a great seal!
6. **7/8” O.T. Dual Pane is standard with Double Strength Glass** – Double strength glass is 50% thicker than single strength glass. 7/8” allows a triple pane/krypton filled option for maximum insulation values!
7. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
8. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
9. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
10. **The best Warm Edge Spacers for your requirements** PPG StainlessTM is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmartTM Spacer System
11. **Heavy Duty Locks** – Metal cam locks close your windows tight!

Premium Style 301 Single Tilt Slider

12. **Triple Weather sealed** – Pile seals utilize a poly film to create a strong barrier to air infiltration between the frame and operating components. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier at the sill.
13. **Low Profile Tilt Latches** – Tilt Latches are assembled into the sash profile to provide clean sight lines and strength.
14. **Reinforcement** –Reinforcement is added as required in oversized windows.
15. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
16. **Secure Screens** – Our screen has an overlap lip. Screens allow for a clean site line through one glass panel and are spring loaded for easy removal.
17. **Top, Bottom and Side Sash Covers** – Channels are covered so that screws and other components are not visible. They minimize dust build up inside pocketed channels and are easy to clean!
18. **Integral Lift Bar** – A strong, extruded Pull Rail is part of the sash! This eliminates the possibility of the Pull rail disengaging from the sash!
19. **Exterior Glass Stops** – This technique makes windows more esthetically pleasing. It is very elegant to the eye and allows more glass area in the window.
20. **Instalock Shoes** – The tilt mechanism immediately engages the sash lock as soon as the sash begins to tilt (1/2” from the frame!) This gives additional strength and stability to the sash and window during cleaning.
21. **Tilt Action** – The operating sash tilts in for easy cleaning.
22. **Optional Extruded J Fin** – Neat and clean for new construction.

Premium Style 301 Single Tilt Slider

23. **Night Locks** – Surface mounted night locks are optional. They allow you to set the window for limited, controlled ventilation and limit access from the outside of your home.
24. **Pure Virgin, Non-recycled Vinyl** – No lead and no toxic material. No health risk!
25. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
26. **CSA tested. NFRC and WindowWise Certified** – Your VWD Single Tilt Sliding window has been tested to perform! Your windows are approved for Window Wise installations!
27. **Energy Star Qualified** – See required options list.
28. **Lifetime Warranty** – Ask for details on VWD's great Lifetime Warranty on vinyl and hardware and on your glass seal!

Premium Style 303 Single Lift Out Slider

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Pocket Jamb Design** – The operating sash closes tightly into a frame compartment.
3. **Drainage System** – Built in water removal system directs water out of the window to resist water penetration.
4. **Extruded Dual Flexible Jamb Seals** – Combine with the Jamb pocket to create an excellent seal!
5. **Weather Resistant Glazing System** – A flexible neoprene dual Durometer hugs the glass (Marine Glazing technique). An exterior glazing tape with caulked corners provides a great seal!
6. **7/8” O.T. Dual Pane is standard with Double Strength Glass** – Double strength glass is 50% thicker than single strength glass. 7/8” allows a triple pane/krypton filled option for maximum insulation values!
7. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
8. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
9. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
10. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
11. **Heavy Duty Locks** – Metal cam locks close your windows tight!

Premium Style 303 Single Lift Out Slider

12. **Triple Weather sealed** – Pile seals utilize a poly film to create a strong barrier to air infiltration between the frame and operating components. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier at the sill.
13. **Low Profile Tilt Latches** – Tilt Latches are assembled into the sash profile to provide clean sight lines and strength.
14. **Reinforcement** –Reinforcement is added as required in oversized windows.
15. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
16. **Secure Screens** – Our screen has an overlap lip. Screens allow for a clean site line through one glass panel and are spring loaded for easy removal.
17. **Top, Bottom and Side Sash Covers** – Channels are covered so that screws and other components are not visible. They minimize dust build up inside pocketed channels and are easy to clean!
18. **Integral Lift Bar** – A strong, extruded Pull Rail is part of the sash! This eliminates the possibility of the Pull rail disengaging from the sash!
19. **Exterior Glass Stops** – This technique makes windows more esthetically pleasing. It is very elegant to the eye and allows more glass area in the window.
20. **Optional Extruded J Fin** – Neat and clean for new construction.
21. **Night Locks** – Surface mounted night locks are optional. They allow you to set the window for limited, controlled ventilation and limit access from the outside of your home.

Premium Style 303 Single Lift Out Slider

22. **Pure Virgin, Non-recycled Vinyl** – No lead and no toxic material. No health risk!
23. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
24. **CSA tested** – Your VWD Single Lift Out Sliding window has been tested to perform! Your windows are approved for Window Wise installations!
25. **Energy Star Qualified** – See required options list.
26. **Lifetime Warranty** – Ask for details on VWD's great Lifetime Warranty on vinyl and hardware and on your glass seal!

Plus Style 340 Double Tilt Slider

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Extruded Flexible Seal** – Combines with the pocket jamb to create an excellent seal!
3. **Submerged Drain holes covers** – Designed to keep bugs out while allowing water to flow outside. Our two tier system provides separate drainage for the part of the window that is inside your home's building envelope from the exterior portion!
4. **3/4" O.T. Dual Pane is standard with Double Strength Glass** – Double strength glass is 50% thicker than single strength glass.
5. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
6. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high 'R' insulation value and low UV transmission.
7. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
8. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
9. **Heavy Duty Locks** – Metal cam locks close your windows tight!
10. **Double Weather sealed** – Pile seals utilize a poly film to create a strong barrier to air infiltration between the frame and operating components.
11. **Closed Cell Foam Glazing System** – A closed cell foam tape that prevents moisture penetration is applied to the glazing cavity. Sealant is applied to open corners of the tape to create an unbroken seal against the glass unit.
12. **Low Profile Tilt Latches** – Tilt Latches are assembled into the sash profile to provide clean sight lines and strength.

Plus Style 340 Double Tilt Slider

13. **Extruded J Fin** – Optional extruded J Fin at no extra charge.
14. **Reinforcement** – Cam Lock screws in larger windows thread through metal rather than hollow vinyl. Reinforcement is also added as required in oversized windows.
15. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
16. **Secure Screens** – Our full screen has an overlap lip. Spring loaded pins allow for easy removal. Half screens (not available in painted windows) allow for a clean site line through one glass panel and are spring loaded for easy removal.
17. **Clean, Elegant Interior of Horizontal Sliders** – A separate sash stop is not required, resulting in a better looking window!
18. **Integral Lift Bar** – A strong, extruded Pull Rail is part of the sash! This eliminates the possibility of the Pull rail disengaging from the sash!
19. **Exterior Glass Stops** – This technique makes windows more esthetically pleasing. It is very elegant to the eye and allows more glass area in the window
20. **Instalock Shoes** – The tilt mechanism immediately engages the sash lock as soon as the sash begins to tilt (1/2” from the frame!) This gives additional strength and stability to the sash and window during cleaning.
21. **Tilt Action** – The sashes tilt in for easy cleaning.
22. **Night Locks** – Dual night locks allow you to set the window for limited, controlled ventilation and limit access from the outside of your home.

Plus Style 340 Double Tilt Slider

24. **A Variety of Designer Colours** – The only company to offer both a bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours.
25. **CSA tested, NFRC and WindowWise Certified** – Your VWD Double Tilt Sliding window has been tested to perform! Your windows are approved for Window Wise installations!
26. **Energy Star Qualified** – See required options list.
27. **Optional Extruded J Fin** – Neat and clean for new construction.
28. **Lifetime Warranty** – Ask for details on VWD's great Lifetime Warranty on vinyl and hardware and on your glass seal!

Plus Style 355 Double Lift Out Slider

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Submerged Drain holes covers** – Designed to keep bugs out while allowing water to flow outside. Our two tier system provides separate drainage for the part of the window that is inside your home's building envelope from the exterior portion!
3. **Extruded Neoprene Seals** – A pair of compression style, heavy duty neoprene seals allow the sash to shut tight. Neoprene is the same type of long term, durable material used to seal car doors!
4. **Weather Resistant Glazing System** – A flexible neoprene dual Durometer hugs the glass (Marine Glazing technique). An exterior glazing tape with caulked corners provides a great seal!
5. **¾" O.T. Dual Pane is standard with Double Strength Glass** – Double strength glass is 50% thicker than single strength glass.
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high 'R' insulation value and low UV transmission.
8. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
9. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
10. **Heavy Duty Locks** – Metal cam locks close your windows tight!

Plus Style 355 Double Lift Out Slider

11. **Triple Weather Sealed** – Pile seals utilize a poly film to create a strong barrier to air infiltration between the frame and operating components. Two commercial quality neoprene bulb compression seals provide a nearly impenetrable air and water barrier at the sill.
12. **Low Profile Tilt Latches** – Tilt Latches are assembled into the sash profile to provide clean sight lines and strength.
13. **Instalock Shoes** – The tilt mechanism immediately engages the sash lock as soon as the sash begins to tilt (1/2” from the frame!) This gives additional strength and stability to the sash and window during cleaning.
14. **Reinforcement** – Cam Lock screws thread through metal rather than hollow vinyl. Reinforcement is also added as required in oversized windows.
15. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
16. **Secure Screens** – Our full screen has an overlap lip. Spring loaded pins allow for easy removal. Half screens (not available in painted windows) allow for a clean site line through one glass panel and are spring loaded for easy removal.
17. **Top, Bottom and Side Sash Covers** – Channels are covered so that screws and other components are not visible. They minimize dust build up inside pocketed channels and are easy to clean!
18. **Integral Lift Bar** - part of the sash! This eliminates the possibility of the Pull rail disengaging from the sash!
19. **Exterior Glass Stops** – This technique makes windows more esthetically pleasing. It is very elegant to the eye and allows more glass area in the window
20. **Brass Rollers** – Durable brass rollers are designed to last a lifetime!

Plus Style 355 Double Lift Out Slider

21. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
22. **CSA tested and Window Wise Certified** – Your VWD Double Lift Out Sliding window has been tested to perform! Your windows are approved for Window Wise installations!
23. **Energy Star Qualified** – See required options list.
24. **Lifetime Warranty** – Ask for details on VWD's great Lifetime Warranty on vinyl and hardware and on your glass seal!

Plus Style 375 Single Tilt Slider

1. **Multi-chambered, fusion-welded 2 ¾” frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Pocket Jamb Design** – The operating sash closes tightly into a frame compartment.
3. **Drainage System** – Built in water removal system directs water out of the window to resist water penetration.
4. **Fin Seal on frame at the Jamb Pocket** – Combines with the pocket jamb to create an excellent seal!
5. **Weather Resistant Glazing System** – An exterior glazing tape with caulked corners provides a great seal!
6. **¾” O.T. Dual Pane is standard with Double Strength Glass** – Double strength glass is 50% thicker than single strength glass.
7. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
8. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
9. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
10. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
11. **Heavy Duty Locks** – Metal cam locks close your windows tight!
12. **Double Weather sealed** – Pile seals utilize a poly film to create a strong barrier to air infiltration between the frame and operating components.
13. **Low Profile Tilt Latches** – Tilt Latches are assembled into the sash profile to provide clean sight lines and strength.

Plus Style 375 Single Tilt Slider

14. **Reinforcement** – Reinforcement is also added as required in oversized windows.
15. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
16. **Secure Screens** – Screens allow for a clean site line through one glass panel and are spring loaded for easy removal.
17. **Integral Lift Bar** – A strong, extruded Pull Rail is part of the sash! This eliminates the possibility of the Pull rail disengaging from the sash!
18. **Attractive balance covers.**
19. **Exterior Glass Stops** – This technique makes windows more esthetically pleasing. It is very elegant to the eye and allows more glass area in the window
20. **Instalock Shoes** – The tilt mechanism immediately engages the sash lock as soon as the sash begins to tilt (1/2” from the frame!) This gives additional strength and stability to the sash and window during cleaning.
21. **Tilt Action** – The operating sash tilts in for easy cleaning.
22. **A Variety of Designer Colours** – Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours.
23. **Available in the most popular white #143.**
24. **CSA tested** – Your VWD Single Sliding window has been tested to perform! Your windows are approved for Window Wise installations!
25. **Energy Star Qualified** – See required options list.
26. **Lifetime Warranty** – Ask for details on VWD’s great Lifetime Warranty on vinyl and hardware and on your glass seal!

Ultra Style 802 Narrow Picture

1. **Multi-chambered, fusion-welded frame and sash** – 4 ½” thick frame is excellent for thermal resistance and prevention of heat loss.
2. **Designed to provide a maximum glass in site line** – Ideal for large center windows with a view.
3. **Integrated Drain Hole System** – Hidden drain slots require no covers and resists air penetration!
4. **Triple Bond Glazing System** – A flexible neoprene dual durometer hugs the glass (marine glazing technique). An exterior wet glazing tape and an interior silicone full perimeter bead (double glazed windows only) provide a great seal!
5. **7/8” O.T. Dual Pane is standard – 1 3/8” O.T. Triple Pane available** – Use Krypton gas fill in a 7/8” O.T. Triple Pane or use Argon gas fill in our 1 3/8” O.T. Triple Pane. Both allow for a greater than R8 center-of-glass insulation value
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
8. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
9. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System

Ultra Style 802 Narrow Picture

10. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
11. **All shapes** – Designed to bend easily to make shaped windows!
12. **A Variety of Designer Colours** – Available in neutral white. Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours.
13. **Testing in progress**
14. **Lifetime Warranty** – Ask for details on VWD’s great Lifetime Warranty on vinyl and hardware and on your glass seal!

Premium Style 402 Narrow Picture

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Designed to provide a maximum glass in site line** – Ideal for large center windows with a view.
3. **Integrated Drain Hole System** – Hidden drain slots require no covers and resists air penetration!
4. **Triple Bond Glazing System** – A flexible neoprene dual durometer hugs the glass (marine glazing technique). An exterior wet glazing tape and an interior silicone full perimeter bead (double glazed windows only) provide a great seal!
5. **7/8” O.T. Dual Pane is standard – 1 3/8” O.T. Triple Pane available** – Use Krypton gas fill in a 7/8” O.T. Triple Pane or use Argon gas fill in our 1 3/8” O.T. Triple Pane. Both allow for a greater than R8 center-of-glass insulation value.
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
8. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
9. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System

Premium Style 402 Narrow Picture

10. **Reinforced** - All Units over 36” in height are reinforced with metal in the Meeting Rail to provide long term structural strength.
11. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
12. **All shapes** – designed to bend easily to make shaped windows!
13. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
14. **CSA, AAMA, NFRC and WindowWise Certified** – Your VWD Picture window has been tested to perform! Your windows are approved for Window Wise installations!
15. **Energy Star Qualified** – See required options list.
16. **Lifetime Warranty** – Ask for details on VWD’s great Lifetime Warranty on vinyl and hardware and on your glass seal!

Plus Style 402R Narrow Picture

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Designed to provide a maximum glass in site line** – Ideal for large center windows with a view.
3. **Integrated Drain Hole System** – Hidden drain slots require no covers and resists air penetration!
4. **Dry Glazing System** – A flexible neoprene dual durometer hugs the glass. An exterior wet glazing tape provide a great seal!
5. **7/8 O.T. Dual Pane is standard**
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
8. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
9. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
10. **Reinforced** - All Units over 36” in height are reinforced with metal in the Meeting Rail to provide long term structural strength.
11. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
12. **All shapes** – designed to bend easily to make shaped windows!

Plus Style 402R Narrow Picture

13. **A Variety of Designer Colours** – The only company to offer both bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
14. **CSA, AAMA, NFRC and WindowWise Certified** – Your VWD Picture window has been tested to perform! Your windows are approved for Window Wise installations!
15. **Energy Star Qualified** – See required options list.
16. **Lifetime Warranty** – Ask for details on VWD's great Lifetime Warranty on vinyl and hardware and on your glass seal!

Ultra Style 852 Fixed Casement

1. **Multi-chambered, fusion-welded frame and sash** – Our 4 ½” thick frame is excellent for thermal resistance and prevention of heat loss.
2. **Designed to provide a matching exterior to the Ultra Casement and Awning Windows** – Ideal for combinations where grills need to line up.
3. **Invisible Drain holes/covers** – For a clean look!
4. **Triple Bond Glazing System** – A flexible neoprene dual durometer hugs the glass (Marine Glazing technique). An exterior wet glazing tape and an interior silicone full perimeter bead (double glazed windows only) provide a great seal!
5. **7/8” O.T. Dual Pane is standard – 1 3/8” O.T. Triple Pane available** – Use Krypton gas fill in a 7/8” O.T. Triple Pane or use Argon gas fill in our 1 3/8” O.T. Triple Pane. Both allow for a greater than R8 center-of-glass insulation value!
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
8. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
9. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System

Ultra Style 852 Fixed Casement

10. **Reinforced Fixed Lites**- All Fixed Lites over 60” wide are reinforced with wood in the sill to provide long term structural strength.
11. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
12. **Triangles and Trapezoids** – Odd angle windows are no problem!
13. **A Variety of Designer Colours** – Available in neutral white. Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours.
14. **CSA, AAMA, NFRC and WindowWise Certified** – Your VWD fixed casement window has been tested to perform! Your windows are approved for Window Wise installations!
15. **Energy Star Qualified** – See required options list.
16. **Lifetime Warranty** – Ask for details on VWD’s great Lifetime Warranty on vinyl and hardware and on your glass seal!

Premium Style 452 Fixed Casement

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Designed to provide a matching exterior to Casement and Awning Windows** – Ideal for combinations where grills need to line up.
3. **Invisible Drain holes/covers** – For a clean look!
4. **Triple Bond Glazing System** – A flexible neoprene dual durometer hugs the glass (marine glazing technique). An exterior wet glazing tape and an interior silicone full perimeter bead (double glazed windows only) provide a great seal!
5. **7/8” O.T. Dual Pane is standard – 1 3/8” O.T. Triple Pane available** – Use Krypton gas fill in a 7/8” O.T. Triple Pane or use Argon gas fill in our 1 3/8” O.T. Triple Pane. Both allow for a greater than R8 center-of-glass insulation value!
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
8. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
9. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System

Premium Style 452 Fixed Casement

10. **Reinforced Fixed Lites**- All Fixed Lites over 60” wide are reinforced with wood in the sill to provide long term structural strength.
11. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
12. **Triangles and Trapezoids** – Odd angle windows are no problem!
13. **A Variety of Designer Colours** – The only company to offer both a bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey, Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
14. **CSA, AAMA, NFRC and WindowWise Certified** – Your VWD fixed casement window has been tested to perform! Your windows are approved for Window Wise installations!
15. **Energy Star Qualified** – See required options list.
16. **Lifetime Warranty** – Ask for details on VWD’s great Lifetime Warranty on vinyl and hardware and on your glass seal!

Plus Style 452R Fixed Casement

1. **Multi-chambered, fusion-welded frame and sash** – Excellent for thermal resistance and prevention of heat loss.
2. **Designed to provide a matching exterior to Casement and Awning Windows** – Ideal for combinations where grills need to line up.
3. **Invisible Drain holes/covers** – For a clean look!
4. **Dry Glazing System** – A flexible neoprene dual durometer hugs the glass. An exterior wet glazing tape provide a great seal!
5. **7/8 O.T. Dual Pane is standard**
6. **Choose Solar Gain (Hardcoat) Low E Glass** – Ideal for locations where minimizing winter and cold weather heat costs are critical. Maximize the free solar heat of the sun!
7. **Choose Solar Shield (Softcoat) Glass** – Ideal for locations where minimizing summer heat and lowering air conditioner usage is important. Solarban 60 has a high ‘R’ insulation value and low UV transmission.
7. **Argon and Krypton Gas filling** – Maximize the insulation value of your sealed unit with your choice of Argon, Krypton and Krypton/Argon blend.
8. **The best Warm Edge Spacers for your requirements** PPG Stainless™ is a structural warm edge spacer with the warmth of foam. Also available is our proprietary TempSmart™ Spacer System
9. **Reinforced Fixed Lites-** All Fixed Lites over 60” wide are reinforced with wood in the sill to provide long term structural strength.
10. **Neoprene Setting Blocks** – All VWD windows are glazed with “80 durometer” Setting Blocks for a secure, tight fit.
11. **Triangles and Trapezoids** – Odd angle windows are no problem!

Plus Style 452R Fixed Casement

13. **A Variety of Designer Colours** – The only company to offer both a bone and bright whites! Heat reflective exterior painted colours utilizing our Eco-friendly Enviro-Coating System are available in standard Ivory, Sandalwood, Cocoa, Ivy Green, Wedgewood Blue, Grey , Terra, Pebble and Chocolate Brown as well as custom colours. We have exterior coextruded Ivory and Sandalwood.
14. **CSA, AAMA, NFRC and WindowWise Certified** – Your VWD fixed casement window has been tested to perform! Your windows are approved for Window Wise installations!
15. **Energy Star Qualified** – See required options list.
16. **Lifetime Warranty** – Ask for details on VWD's great Lifetime Warranty on vinyl and hardware and on your glass seal!